## Milpitas Fire Department Project Transmittal Sheet

Please complete the following and pay for the plan check service at the Finance Department prior to submitting your plans to the Fire Department for review. Plans will not be processed without prior payment. You will be contacted after the plans have been reviewed/approved for pick-up. If you have questions, please call 408-586-3365.

Company Name:			
Address:			
Contact Person:		Telephone Number:	
E-mail:		Fax Number:	
Project Name:			
Project Address:			
Submit two copies of this form – one copy m amount is submitted it will delay review of y	nust accompa	culate fees due and submit payment at the Finance I any plans once payment has been made. Please note until full payment is received.	
Life Safety ( 100-3221)		Hazardous Materials ( 100-3220)	
New Fire Service Systems  Underground only  One riser  Each additional riser  Greater than 3 stories in height (complete system)  Sprinkler System "TI's"  Less than 20 heads  20 – 199 heads  Greater than 200 heads  Fire Alarms  New system  Addition – 5 or more devices  Addition – less than 5 devices  Miscellaneous Fire Permits	\$ 520.00 \$ 728.00 \$ 416.00 \$ 1248.00 \$ 208.00 \$ 624.00 \$ 832.00 \$ 728.00 \$ 416.00 \$ 208.00	Tenant Improvement  □ Small (haz mat piping – 2 process lines max.)  Closures  □ Small  □ Medium  □ Large  □ Process/tool  Underground Tank removal  □ 2 tanks systems or less  □ Each additional tank system	\$ 208.00 N/C \$ 312.00 \$ 520.00 \$ 312.00 \$ 312.00 \$ 104.00
<ul> <li>□ Tents, canopies, membrane structures</li> <li>5 or more</li> <li>4 or less</li> <li>□ Licensed facility</li> <li>□ Hood and duct System</li> <li>□ FM 2000 system</li> <li>□ Other (deluge, foam, etc)</li> </ul>			
		etra) \$ 416.00 (100-3221 FS) and requires prior approval for this service)	
(is ilmited to starr	avanadinty 8	Total Amount Due:	
Total Amount Paid:		Department Use Only  Date Paid:	
Receipt Number:1 copy to Finance; 1	_ copy to Fire	City of Milpitas Business License #:e Department with plans; 1 copy to Applicant	